

Eutting Instructions

Flying Geese -Four at a Time:


- (B) (1) $7\frac{1}{2}$ " sq; or $7\frac{3}{4}$ " extra for trimming down
- (E) (1) 4 ¹/₂"; or 4 ³/₄" extra for trimming down
- (F) (2) $2\frac{1}{2}$; or $2\frac{3}{4}$ extra for trimming down

Squares & Triangles:


- (G) (1) 3 ½" sq
- (G) (4) 3 ½" sq
- (D) (4) 2" sq

Four at a time Flying Seese Block 1. Place a (C) square with right sides together on the


- Place a (C) square with right sides together on the (B) square in the opposite diagonal corners.
- 2. Draw a line diagonally according to diagram.
- 3. Stitch a ¼" from each side of the line.




4. Cut apart on the line between the stitching.




5. Press seams towards the smaller triangles.




- 6. Place the remaining (C) squares in the corner of the large triangles right sides together.
- 7. Draw a line diagonally on the back of he (C) squares according to diagram.



- 8. Sew a ¼" from the line on both sides of the line.
- 9. Cut apart on the line.



- 10. Press seam towards the smaller triangle.
- 11. Trim flying geese to $6\frac{1}{2}$ x $3\frac{1}{2}$




Small Star Tooth Star Block:

- 1. Follow instructions for eight at a time flying geese using (F, E) pieces.
- 2. Trim to 2" x 3 ½"
- 3. Assembly in same way as the assembly diagram for the larger block.
- 4. Trim to 6 1/2".





1. Arrange block according to diagram.



- 2. Sew blocks together for each row.
- 3. Sew the rows together matching seams.
- 4. Press block.

